



MODEL	"D" (IN)	"A" (IN)	"B" (IN)	"C" (IN)	CFM RANGE (H)	CFM RANGE (L)
PVT-04	5 1/4	1	2	3	310	-
PVT-05	6 1/4	1 1/4	2 1/2	2 3/4	380	250
PVT-06	7 1/4	1 1/2	3	4 1/2	584	400
PVT-07	8 1/4	1 3/4	3 1/2	5 1/4	801	600
PVT-08	9 1/4	2	4	6	1088	800
PVT-09	10 1/4	2 1/4	4 1/2	6 3/4	1315	1050
PVT-10	11 1/4	2 1/2	5	7 1/2	1767	1300
PVT-12	13 1/4	3	6	9	2542	2000
PVT-14	15 1/4	3 1/2	7	10 1/2	3629	2800
PVT-16	17 1/4	4	8	12	4427	4000
PVT-18	19 1/4	4 1/2	9	13 1/2	----	----

ORDERING INFORMATION:

PART NUMBER = (MODEL) - (MATERIAL) - (RANGE)
 MATERIAL (SS) - 302 STAINLESS STEEL
 (AL) - ALUMINUM
 RANGE (H) - HIGH CFM RANGE
 (L) - LOW CFM RANGE

Ex: PART NUMBER PVT-12-SS-L FOR A 12" PLUG-IN DVT
 IN STAINLESS STEEL W/ ORIFICE PLATE FOR LOW CFM RANGE

SUBMITTAL COPY

LABORATORY CONTROL SYSTEMS INC
 2259 Scranton-Carbondale Highway
 Scranton, PA 18508
 (570) 487-2490

DATE	9/25/03
REVISION	A. ADDED PVT-18

Architect: _____
 Engineer: _____
 Contractor: _____
 Drawn by: MHQ
 Chk. by: MHQ
 CAD file: PVT-XX-YY-ZZ
 Date: 12/17/02

PLUG-IN DVT DETAIL

JOB NUMBER _____
 SHEET NO. 1 OF 1